



*NOTE:* The presence of ICD-9 codes alone may be not sufficient to ensure coverage. Please refer to the Local Coverage Determination (LCD) for Wheelchair Seating (L15670) at [www.noridianmedicare.com](http://www.noridianmedicare.com) for complete details.

**E2603: Skin protection wheelchair cushion, width <22", any depth**

VARILITE cushions: Reflex™

**E2622: Skin protection wheelchair cushion, adjustable, width <22", any depth**

VARILITE cushions: Evolution™, Evolution PSV™ and Zoid PSV™

**E2623: Skin protection wheelchair cushion adjustable, width ≥22", any depth**

VARILITE cushions: Bariatric Evolution™ and Evolution PSV™

**Require one of the following codes:**

- 138 Late effects of acute polio
- 330.0-330.9 Leukodystrophy- Unspecified cerebral degeneration in childhood
- 331.0 Alzheimer's disease
- 332.0 Paralysis agitans
- 333.4 Huntington's Chorea
- 333.6 Genetic torsion dystonia
- 333.71 Athetoid cerebral palsy
- 335.0-335.21 Werdnig-Hoffman disease- progressive muscular atrophy
- 335.23-335.9 Pseudobulbar palsy- anterior horn cell disease unspecified
- 336.0-336.3 Syringomyelia and syringobulbia- myelopathy in other diseases
- 340.0 Multiple Sclerosis
- 341.0-341.9 Neuromyelitis optica- demyelinating disease of CNS unspecified
- 342.00-342.92 Flaccid hemiplegia and hemiparesis affecting unspecified side- Unspecified hemiplegia and hemiparesis affecting non-dominant side
- 343.0-343.9 Congenital diplegia-infantile cerebral palsy unspecified
- 344.00-344.1 Quadriplegia unspecified- paraplegia
- 359.0 Congenital hereditary muscular dystrophy
- 359.1 Hereditary progressive muscular dystrophy
- 438.20-438.22 Hemiplegia affecting unspecified side/affecting non-dominant side
- 707.3-707.5 Pressure ulcer, lower back- Pressure ulcer, buttock
- 741.00-741.93 Spina bifida unspecified region with hydrocephalus  
Spina bifida lumbar region without hydrocephalus



**E2624: Skin protection and positioning wheelchair cushion, adjustable, width <22", any depth**

VARILITE cushions: Evolution Wave™, Evolution PSV Wave™, Meridian™, Meridian Wave™ and ProForm NX™

**E2625: Skin protection and positioning wheelchair cushion, adjustable, width ≥22", any depth**

VARILITE cushions: Evolution Wave™, Evolution PSV Wave™, Meridian™ and Meridian Wave™

**Require one of the following codes:**

- 138 Late effects of acute polio
- 330.0-330.9 Leukodystrophy- Unspecified cerebral degeneration in childhood
- 331.0 Alzheimer's disease
- 332.0 Paralysis agitans
- 333.4 Huntington's Chorea
- 333.6 Genetic torsion dystonia
- 333.71 Athetoid cerebral palsy
- 335.0-335.21 Werdnig-Hoffman disease- progressive muscular atrophy
- 335.23-335.9 Pseudobulbar palsy- anterior horn cell disease unspecified
- 336.0-336.3 Syringomyelia and syringobulbia- myelopathy in other diseases
- 340.0 Multiple Sclerosis
- 341.0-341.9 Neuromyelitis optica- demyelinating disease of CNS unspecified
- 342.00-342.92 Flaccid hemiplegia and hemiparesis affecting unspecified side-  
Unspecified hemiplegia and hemiparesis affecting non-dominant side
- 343.0-343.9 Congenital diplegia-infantile cerebral palsy unspecified
- 344.00-344.1 Quadriplegia unspecified- paraplegia
- 359.0 Congenital hereditary muscular dystrophy
- 359.1 Hereditary progressive muscular dystrophy
- 438.20-438.22 Hemiplegia affecting unspecified side/affecting non-dominant side
- 741.00-741.93 Spina bifida unspecified region with hydrocephalus- Spina bifida lumbar region without hydrocephalus

**2.) OR a combination of 707.3-7 (decubitus ulcer) and one of the following diagnoses:**

- 323.82 Other causes of Myelitis
- 334.0-334.9 Freidreich's ataxia- spinocerebellar disease unspecified
- 344.30-344.32 Monoplegia of lower limb affecting unspecified side-  
Monoplegia of lower limb affecting non-dominant side
- 438.40-438.42 Monoplegia of lower limb affecting unspecified side-  
Monoplegia of lower limb affecting non-dominant side
- 756.51 Osteogenesis imperfecta
- 897.2-897.7 Traumatic amputation of leg(s) (complete) (partial)  
Unilateral AT or above knee without complication-  
Traumatic amputation of leg(s) (complete) (partial)  
Bilateral (any level) complicated



**E2611: General use wheelchair back cushion, width < 22", any height, any type of mounting hardware**

VARILITE back systems: Talon™, eBack™ regular and tall

**No ICD-9 codes specified**

**E2612: General use wheelchair back cushion, width ≥22", any height, any type of mounting hardware**

VARILITE back systems: Bariatric eBack™

**No ICD-9 codes specified**

###

**E2613: Positioning wheelchair back cushion, posterior, width <22", any height, including any type of mounting hardware**

VARILITE back systems: Icon™ Back System Low and Evolution Back™ Regular

**E2614: Positioning wheelchair back cushion, posterior, width ≥22", any height, including any type of mounting hardware**

VARILITE back systems: Evolution Back™ Tall

**E2615: Positioning wheelchair back cushion, posterior-lateral, width <22", any height, including any type of mounting hardware**

VARILITE back systems: Icon Back System™ Mid and Tall

**E2616: Positioning wheelchair back cushion, posterior-lateral, width ≥22", any height, including any type of mounting hardware**

VARILITE back system: Bariatric Icon™ Back System

**E2620: Positioning wheelchair back cushion, planar back with lateral supports, width <22", any height, including any type of mounting hardware**

VARILITE back systems: Icon™ Back System Deep and Evolution Back™ Deep

**Require one of the following codes:**

138	Late effects of acute polio
323.82	Other causes of myelitis
330.0-330.9	Leukodystrophy- Unspecified cerebral degeneration in childhood
331.0	Alzheimer's disease
332.0	Paralysis agitans
333.4	Huntington's Chorea



333.6	Genetic torsion dystonia
333.71	Athetoid cerebral palsy
334.0-334.9	Friedreich's ataxia- spinocerebellar disease unspecified
335.0-335.21	Werdnig-Hoffman disease- progressive muscular atrophy
335.23-335.9	Pseudobulbar palsy- anterior horn cell disease unspecified
336.0-336.3	Syringomyelia and syringobulbia- myelopathy in other diseases
340	Multiple Sclerosis
341.0-341.9	Neuromyelitis optica- demyelinating disease of CNS unspecified
342.00-342.92	Flaccid hemiplegia and hemiparesis affecting unspecified side- Unspecified hemiplegia and hemiparesis affecting non-dominant side
343.0-343.9	Congenital diplegia-infantile cerebral palsy unspecified
344.00-344.1	Quadriplegia unspecified- paraplegia
344.30-344.32	Monoplegia of lower limb affecting unspecified side- Monoplegia of lower limb affecting non-dominant side
359.0	Congenital hereditary muscular dystrophy
359.1	Hereditary progressive muscular dystrophy
438.20-438.22	Hemiplegia affecting unspecified side/affecting non-dominant side
438.40-438.42	Monoplegia of lower limb affecting unspecified side- Monoplegia of lower limb affecting non-dominant side
741.00-741.93	Spina bifida unspecified region with hydrocephalus- Spina bifida lumbar region without hydrocephalus
756.51	Osteogenesis imperfecta
897.2-897.7	Traumatic amputation of leg(s) (complete) (partial) unilateral AT or AK without complication- Traumatic amputation of leg(s) (complete) (partial) bilateral (any level) complicated

**2.) OR a combination of 707.3-7 (decubitus ulcer) and one of the following diagnoses:**

323.82	Other causes of myelitis
334.0-334.9	Friedreich's ataxia- spinocerebellar disease unspecified
344.30-344.32	Monoplegia of lower limb affecting unspecified side- Monoplegia of lower limb affecting non-dominant side
438.40-438.42	Monoplegia of lower limb affecting unspecified side- Monoplegia of lower limb affecting non-dominant side
756.51	Osteogenesis imperfecta
897.2-897.7	Traumatic amputation of leg(s) (complete) (partial) unilateral AT or AK without complication- Traumatic amputation of leg(s) (complete) (partial) bilateral (any level) complicated